

# Vivid-1200E

## USB2.0 1200dpi Flatbed Scanner



The Vivid-1200E is designed for convenient use at home, office and school.

With its high resolution of 1,200dpi x 2,400dpi, 48-bit color depth and software interpolation up to 65,535 dpi for superior color, you can get vivid images from a variety of scan jobs. Also, you do not need any experience on how to use complex buttons on a scanner, just follow the manual instructions, and the Vivid-1200E will deliver great images and rich black text clearly. For more info on this simple to use scanner, ask your sales rep. for more details.

**Powerful ColorRescue Technology  
restores faded photos back to life**



**USB 2.0 High speed!**



### Selling Points

ScanWizard 5 for great image quality management	Simple Star Photoshow Deluxe - Scan up to 4 photos at one time	Ulead Photo Explorer for image editing

ABBYY FineReader 5.0 Sprint OCR software for 58 languages	ColorRescue technology brings faded colors back to life.

# Vivid-1200E

## USB2.0 1200dpi Flatbed Scanner



### ■ System Requirements

- IBM PC Pentium III compatible or higher
- Minimum 64MB RAM
- Minimum 250MB hard disk space
- Available USB port
- Microsoft Windows XP, 2000
- CD-ROM drive for software installation

### ■ Package Contents

- Vivid-1200E
- USB cable
- CD includes:
  - ScanWizard 5 for great image quality management
  - ABBYY FineReader
  - Sprint OCR software
  - Ulead PhotoExplorer
  - Simple Star Photoshow Deluxe
- Multilingual quick installation guide
- Power adapter

### ■ Specifications

INTERFACE	USB 2.0
Scanning method	Single pass scanning
Document size	A4 / Letter
Scanning mode	Color 48/24 bit, grayscale 8 bit, B/W 1 bit
Resolution	Optical resolution 1,200 dpi x 2,400 dpi; Interpolation 65,535 dpi
ScanWizard UI	8 languages - English, Spanish, Polish, Greek, Russian, Brazil Portuguese, Farsi and Arabic
ELECTRONIC MANUAL	8 languages - English, Spanish, Polish, Greek, Russian, Brazil Portuguese, Farsi and Arabic
QUICK GUIDE	8 languages - English, Spanish, Polish, Greek, Russian, Brazil Portuguese, Farsi and Arabic
OPERATION SYSTEM	Windows 2000/ XP/XP 64bit

# Vivid-1200E

## USB2.0 1200dpi Flatbed Scanner



### WEEE Information

Body Weight (kg)	3kg
Body Dimension (LxWxH mm)	440 mm (L) x 288 mm (W) x 90 mm (H)

### Shipping Information

PCs/Carton	4pcs
CUFT/Carton	3.81
	<u><a href="#">EU: 32100206100</a></u> <u><a href="#">SHOB: 32100215100</a></u>
	EAN:4710268706786      EAN:4710268706885
	UPC:091163706786      UPC:091163706885
EAN&UPC bar code	<u><a href="#">US: 32100214100</a></u> EAN:4710268706878 UPC:091163706878

### Dates available

Mass Production	JAN. 08, 2007.
-----------------	----------------

### ■ Product Family

<a href="#">Vivid-1200TA</a>	<a href="#">HR-Slim2400TA</a>	<a href="#">CP-Slim1200</a>	<a href="#">CP-BR600</a>	<a href="#">CP-SF600</a>

### ■ Camera and Video Product Family

DSC	DV	Web CAM	Web CAM	TV/Video